



migrate-ed9.hellosanta.tw/products/eb-232 EB-232

EB-232

Configuration Backup and Restoration Tool for Managed Switches



Overview

The EB-232 dongle provides fast and effortless system backup and restoration on EtherWAN managed switches. In addition to saving and loading switch configuration files directly, the EB-232 can transfer configurations to and from a TFTP server. An automatic restore function can be activated, allowing the configuration saved on a connected EB-232 to be automatically loaded onto the switch when the switch is rebooted or power cycled. This greatly cuts down on system downtime in the event of a switch failure, because a failed switch can be quickly replaced with a new one running the same configuration.

The configuration on a switch can be quickly compared with the data stored on the EB-232, to ascertain if the configurations differ or are identical. This allows an administrator to quickly assess if a switch is running a specific configuration.

EtherWAN — "When Connectivity is Crucial."

Features

- » Automatically restore switch configuration files
- » Quickly compare configuration data on switch and EB-232
- » Operation through an intuitive GUI

Specifications

Storage Capacity

- • 192 KB
-

Power

- • 3.3 VDC (through the RS-232 port's RI signal)
-

Interface

LED Indicators

- • Power LED (Green)
 - • Alarm LED (Green/Amber)
-

Mechanical

Housing

- • PVC molding

Weight

- • 64g
-

Environment

Operating Temperature

- • -40 to 75°C (-40 to 167°F)

Storage Temperature

- • -40 to 85°C (-49 to 185°F)

Ambient Relative Humidity

- • 5% to 95% (non-condensing)

Regulatory Approvals

ISO

- • Manufactured in an ISO 9001 facility

EMI

- FCC Part 15B, Class A
- VCCI Class A
- EN 61000-6-4
- EN 61000-3-2
- EN 61000-3-3

EMS


- EN 61000-6-2
 - • EN 61000-4-2 (ESD Standards)
 - • EN 61000-4-3 (Radiated RFI Standards)
 - • EN 61000-4-4 (Burst Standards)
 - • EN 61000-4-5 (Surge Standards)
 - • EN 61000-4-6 (Induced RFI Standards)
 - • EN 61000-4-8 (Magnetic Field Standards)

Environmental Test Compliance

- IEC 60068-2-6 Fc (Vibration Resistance)
- FED STD 101C Method 5007.1 (Free fall w/ package)

Dimensions

Image not found or type unknown



Ordering Info

Model

EB-232 Configuration Backup and Restoration Tool for Managed Switches

*The following series of managed switches support configuration backup through EB-232
EX71000, EX73000, EX78000, EX73900, EX77900, EX78900



© EtherWAN Systems, Inc. All rights reserved. 20220629

EtherWAN is constantly developing and improving products. Specifications are subject to change without notice and without incurring any obligation.